



TECHNICAL DATA SHEET

SEIV CHEMSTONE CLEAR

Product code : 412.xxx.xx (Gloss finish)

413.xxx.xx (Doff finish)

I. PRODUCT DESCRIPTION

SEIV Chemstone Clear (Pelapis batu alam) is natural stone coating based on Acrylic resin. It gives maximum natural stone protection with good adhesion, good algae- fungi resistant and good weather resistant.

II. RECOMMENDED USE

For exterior application. Suitable for new substrate or repainting.

III. SUBSTRATE

Applied on natural stone (Candi's stone, Palimanan's stone, Andesit's stone, Paras's stone, etc.)

IV. TECHNICAL INFORMATION

Color	: Clear Varnish
Finish	: Gloss & Doff
Density	: 0.90 – 1.00 g/ml
Solid content	: approximately 35% by weight
Gloss level (GU 60°)	: Gloss = > 90 Doff = 8 - 10
Thickness per coat (by brush)	: DFT 15 – 20 µm
Theoretical coverage	: 10 – 15 m ² / Liter (depend on porosity of the substrate)
Drying time, Touch dry	: 10 - 15 minutes at 30 °C
Hard dry	: ± 30 minutes at 30 °C
Coating Interval	: 30 minutes



TECHNICAL DATA SHEET

SEIV CHEMSTONE CLEAR

V. APPLICATION DATA

Remarks	: Handle with care. Stir well before used
Application method	: by brush, roller and spray-gun
Thinner	: Thinner Cat & Dog
Dilution	: max. 50%

VI. FEATURES & BENEFITS

1. Ready for use
2. Alkaline resistant
3. Weather resistant
4. Water repellent
5. Algae and fungi resistant
6. Fade resistant

VII. SURFACE PREPARATION & APPLICATION

A. SURFACE PREPARATION

The substrate must be sound, clean, dry and free from dirt, algae, fungi, mold, grease or other contaminants. Allow the surface to dry.

B. APPLICATION

1. Stir the paint thoroughly without thinning (or can be thinned with Thinner Cat & Dog up to 50%).
2. Apply using paint brush to the whole surface, allow to dry (± 30 minutes)
3. Apply the second coat, allow to dry. The number of coats depended on requirement.

VIII. STORAGE & PACKING

Storage : The product must be stored in accordance with nation regulations. Preferred storage condition is cool / room temperature & dry space provided with adequate ventilation. The containers should be sealed tightly.

Packing : 0.95 L



TECHNICAL DATA SHEET

SEIV CHEMSTONE CLEAR

IX. HEALTH & SAFETY

Please read the precaution notices displayed on the can. Spray under well-ventilated conditions. Do not breathe or inhale mist. Avoid skin contact. Spillage on the skin should immediately be removed with suitable cleanser, soap and water. Eyes should be well flushed with water and medical attention sought immediately.

X. DISCLAIMER

The information in this data sheet is given on the best on laboratory testing and practical experience. However as the product is often used under condition beyond our control, we can not guarantee anything but the quality of the product itself. We reserve the right to change the given data without notice.