



## MATERIAL SAFETY DATA SHEET

### SEIV SHRED PAINT REMOVER (SOLVENT BASED)

**Product code : 488.100.00**

#### **I. IDENTIFICATION OF THE SUBSTANCE AND COMPANY**

Trade name : SEIV Shred Paint Remover (Solvent Based)  
Product code : 488.100.00  
Intended use : Paint Remover  
Manufacture : PT SEIV Indonesia  
Tangerang, Indonesia  
Emergency phone no : (021) 55791111

#### **II. COMPOSITION/ INFORMATION ON INGREDIENTS**

No.	CAS No.	Chemical name	Conc. Range (%)
1	75-09-2	Dichloromethane	70 – 95
2	67-56-1	Methyl Alcohol (Methanol)	5 – 10
3	1330-20-7	Xylene	< 5
4	-	Additive	< 5

#### **III. HAZARDS IDENTIFICATION**



Acute Oral Toxicity : Category 4  
Serious eye damage/ eye irritations : Category 2 A  
Skin corrosion/ irritant : Category 2  
Carcinogenicity : Category 2  
Reproductive Toxicity : Category 1



## MATERIAL SAFETY DATA SHEET

### SEIV SHRED PAINT REMOVER (SOLVENT BASED)

#### IV. FIRST AID MEASURES

##### ***skin contact***

Remove contaminated clothing, immediately begin washing the skin thoroughly with large amounts of water and soap. Seek medical attention if irritation persists.

##### ***eye contact***

Immediately begin to flush eyes with water, remove any contact lens. Continue to flush the eyes for at least 15 minutes, seek medical attention.

##### ***inhalation***

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.

##### ***ingestion***

If swallowed, do NOT induce vomiting. Seek immediate medical attention. Call a physician, hospital emergency room or poison control center immediately. Never give anything by mouth to an unconscious person.

#### V. FIRE-FIGHTING MEASURES

Extinguishing media : use foam, CO<sub>2</sub> or dry extinguisher

Fire fighting instructions : Self – contained respiratory protection should be provided for fire fighters fighting fire in buildings or confined areas. Storage containers exposed to fire should be kept cool with water spray to prevent pressure build – up. Stay away from head of containers that have been exposed to intense heat or flame.

Contact of liquid or vapor with flame or hot surfaces will produce toxic gases and a corrosive residue that will cause deterioration of metal



## MATERIAL SAFETY DATA SHEET

### SEIV SHRED PAINT REMOVER (SOLVENT BASED)

#### VI. HANDLING AND STORAGE

##### *instruction for safe handling*

Read carefully all cautions and directions on product label before use since empty container retains residue. Dispose of empty container according to all regulations. Don't reuse this container.

Wear protective clothing and take precautions to prevent all skin and eye contact

##### *storage*

Store in cool, dry place. Exposure to high temperatures or prolonged exposure to sun may cause can to leak or swell. Don't store near flame or at elevated temperature.

#### VII. PHYSICAL & CHEMICAL PROPERTIES

Finish	: NA
Color	: Hazy
Physical state	: Viscous Liquid
Boiling point	: 37 - 42 °C
Flash point	: NA
pH	: 8.0 – 10.0
Density	: 1.20 – 1.25 g/ml at 25 °C

#### VIII. OTHER INFORMATION

The information of this material safety data sheet is given for safety requirements only, and Its based on the present state of our knowledge. This data is not to be It is always the responsibility of the user to take all. Understood as a guarantee of specific of our product. All steps necessary to comply with existing laws and regulation. We reserve the right to change the given data without notice.